
PAA010Po01 Polyclonal Antibody to Connective Tissue Growth Factor (CTGF) Organism Species: Sus scrofa; Porcine (Pig) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES



9th Edition (Revised in Jul, 2013)

Western Blot

kDa 75

50

37

←27kDa 25 20 15 10

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant CTGF (Ala101~Pro330) expressed in E.coli.

Accession No.: RPA010Po01

Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHHSG SEF- APCVFGGTVY RSGESFQSSC KYQCTCLDGA VGCVPLCSMD VRLPSPDCPF PRRVKLPGKC CEEWVCDEPK DHTVVGPALA AYRLEDTFGP DPTMMRANCL VQTTEWSACS KTCGMGISTR VTNDNAFCRL EKQSRLCMVR PCFADI FENI KKGKKCIRTP KISKPVKFEL SGCTSVKTYR AKECGVCTDG RCCTPHRTTT I PVEEKCPDG EVMKKSMMELKTCACHYNCP

[ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against CTGF. It has been selected for its ability to recognize CTGF in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.

[<u>CONTENTS</u>]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant CTGF (Ala101~Pro330) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL). **Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN $_3$ 0.02%.

[<u>STORAGE</u>]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.