

order:order@affbiotech.com

PPARG Ab

Cat.#: BF0231 Size: 50ul,100ul,200ul	Concn.: 1mg/ml Source: Mouse	Mol.Wt.: 58kDa Clonality: Monoclonal
Application:	ELISA 1/10000, WB 1/500 - 1/2000	
Reactivity:	Human	
Purification:	Affinity-chromatography.	
Specificity:	PPARG Ab detects endogenous levels of total PPARG.	
Immunogen:	Purified recombinant fragment of human PPARG expressed in E. Coli.	
Uniprot:	P37231	
Description:	The protein encoded by this gene is a member of the peroxisome proliferator-activated receptor (PPAR) subfamily of nuclear receptors. PPARs form heterodimers with retinoid X receptors (RXRs) and these heterodimers regulate transcription of various genes. Three subtypes of PPARs are known: PPAR-alpha, PPAR-delta, and PPAR-gamma. The protein encoded by this gene is PPAR-gamma and is a regulator of adipocyte differentiation. Additionally, PPAR- gamma has been implicated in the pathology of numerous diseases including obesity, diabetes, atherosclerosis and cancer. Multiple transcript variants that use alternate promoters and splicing have been identified for this gene. At least three of these variants encode the same isoform.	
Subcellular Location:	Nucleus.	
Tissue Specificity:	Highest expression in adipose tissue. Lower in skeletal muscle, spleen, heart and liver. Also detectable in placenta, lung and ovary.	
Similarity:	Belongs to the nuclear hormone receptor family. NR1 subfamily.	
Storage Condition and Buffer:	Mouse IgG1 in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt.	






Figure 1: Western blot analysis using PPARG mouse mAb against truncated PPARG-His recombinant protein (1) and full-length PPARG(aa1-477) transfected CHO-K1 cell lysate (2).

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.