Goat Anti-Mouse IgG (H+L) CY3-conjugated

References(2) Images(1)

Cat.#: S0012 Concn.: 1mg/ml Mol.Wt.:

Size: 100ul,1ml,500ul Source: Goat Clonality: Polyclonal

Application: WB 1:100 – 1:500, IF/ICC 1:100-1:500

*The optimal dilutions should be determined by the end user.

Reactivity: Mouse

Storage: 0.01M Sodium phosphate, 0.25M NaCl, 50% glycerol, pH7.6.Store at


-20??avoid repeated thawing and freezing.

Purification: Affinity-chromatography.

Immunogen: The antiserum was developed in goat using the Mouse IgG as the

immunogen.

Conjugate: CY3



Confocal immunofluorescence analysis of SKBR-3 (left) and A549 (right) cells using beta Actin mouse mAb (red, the secondary Ab is Cy3-Goat anti mouse IgG).

Blue: DRAQ5 fluorescent DNA dye.

Red: Goat Anti-Mouse IgG(H+L) CY3-conjugated

<code>IMPORTANT:</code> For western blot, incubate membrane with diluted secondary Ab in 5% w/v milk , 1% TBS, 0.1% Tween®20 at 37°C, 2H.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.