

RPA131Mu01 50µg

Recombinant Transforming Growth Factor Beta Induced Protein (TGFbI)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

[PROPERTIES]

Source: Prokaryotic expression. Host: E. coli Residues: Gly423~Leu632 Tags: N-terminal His-Tag Homology: Human 91%, rat 96% Tissue Specificity: Brain, heart, liver, kidney. Subcellular Location: Secreted, extracellular space, extracellular matrix. **Purity:** >95% **Endotoxin Level:** <1.0EU per 1µg (determined by the LAL method). Traits: Freeze-dried powder Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% Trehalose and Proclin300. Original Concentration: 200ug/mL **Applications:** SDS-PAGE; WB; ELISA; IP; CoIP; Reporter Assays; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 8.8 Predicted Molecular Mass: 26.9kDa Accurate Molecular Mass: 28kDa as determined by SDS-PAGE reducing conditions.

Coud-Clone Corp.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

GVPRIDAQ MKTLLLNHMV KEQLASKYLY SGQTLDTLGG KKLRVFVYRN SLCIENSCIA AHDKRGRFGT LFTMDRMLTP PMGTVMDVLK GDNRFSMLVA AIQSAGLMEI LNREGVYTVF APTNEAFQAM PPEELNKLLA NAKELTNILK YHIGDEILVS GGIGALVRLK SLQGDKLEVS SKNNVVSVNK EPVAETDIMA TNGVVYAINT VL

[IDENTIFICATION]




Figure 1. SDS-PAGE