

RPA620Mu01 10µg

Recombinant A Disintegrin And Metalloprotease 8 (ADAM8)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli

Residues: Glu145~Cys493
Tags: N-terminal His-Tag

Tissue Specificity: Liver, Lung.
Subcellular Location: Membrane.

Purity: >95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.3

Predicted Molecular Mass: 42.4kDa

Accurate Molecular Mass: 44kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

EEGQHA MYQAKHLQQK AGTCGVKDTN LNDLGPRALE IYRAQPRNWL IPRETRYVEL YVVADSQEFQ KLGSREAVRQ RVLEVVNHVD KLYQELSFRV VLVGLEIWNK DKFYISRYAN VTLENFLSWR EQNLQGQHPH DNVQLITGVD FIGSTVGLAK VSALCSRHSG AVNQDHSKNS IGVASTMAHE LGHNLGMSHD EDIPGCYCPE

PREGGGCIMT ESIGSKFPRI FSRCSKIDLE SFVTKPQTGC LTNVPDVNRF VGGPVCGNLF VEHGEQCDCG TPQDCQNPCC NATTCQLVKG AECASGTCCH

ECKVKPAGEV CRLSKDKCDL EEFCDGRKPT CPEDAFQQNG TPC

[IDENTIFICATION]




Figure 1. SDS-PAGE