

RPA633Hu01 50µg Recombinant Platelet Derived Growth Factor BB (PDGFBB) Organism Species: Homo sapiens (Human) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

1304 Langham Creek Dr, Saite 226, Houston, TX 77084, USA | 001-888-960-7402 | www.cloud-cloue.us | mail@cloud-clone.as Export Processing Zone, Wuhan, Hubei 430056, PRC | 0086-800-880-0687 | www.cloud-clone.com | mail@cloud-clone.com

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression. Host: E. coli Residues: Ser82~Thr190 **Tags:** N-terminal His-Tag Tissue Specificity: Hela. Subcellular Location: Secreted. **Purity: >98%** Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and Proclin300. Original Concentration: 200ug/mL Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 8.5 Predicted Molecular Mass: 18.5kDa

Accurate Molecular Mass: 21kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Coud-Clone Corp.

[SEQUENCE]

SLGSLTIAE PAMIAECKTR TEVFEISRRL IDRTNANFLV WPPCVEVQRC SGCCNNRNVQ CRPTQVQLRP VQVRKIEIVR KKPIFKKATV TLEDHLACKC ETVAAARPVT

[IDENTIFICATION]




Figure 1. SDS-PAGE