

RPB091Hu01 500µg Recombinant Alkaline Phosphatase, Liver/Bone/Kidney (ALPL) Organism Species: Homo sapiens (Human) *Instruction manual*

> FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

> > 12th Edition (Revised in Aug, 2016)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli Residues: Leu18~Arg335 Tags: N-terminal His-Tag Tissue Specificity: Brain, Liver. Subcellular Location: Cell membrane; Lipid-anchor, GPI-anchor. **Purity:** >95% Traits: Freeze-dried powder Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% Trehalose and Proclin300. Original Concentration: 200ug/mL Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 7.0 Predicted Molecular Mass: 39.3kDa Accurate Molecular Mass: 39kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

LVP EKEKDPKYWR DQAQETLKYA LELQKLNTNV AKNVIMFLGD GMGVSTVTAA RILKGQLHHN PGEETRLEMD KFPFVALSKT YNTNAQVPDS AGTATAYLCG VKANEGTVGV SAATERSRCN TTQGNEVTSI LRWAKDAGKS VGIVTTTRVN HATPSAAYAH SADRDWYSDN EMPPEALSQG CKDIAYQLMH NIRDIDVIMG GGRKYMYPKN KTDVEYESDE KARGTRLDGL DLVDTWKSFK PRYKHSHFIW NRTELLTLDP HNVDYLLGLF EPGDMQYELN RNNVTDPSLS EMVVVAIQIL RKNPKGFFLL VEGGR

[IDENTIFICATION]




Figure 1. SDS-PAGE