

RPC288Ra01 10µg
Recombinant Allograft Inflammatory Factor 1 (AIF1)
Organism Species: Rattus norvegicus (Rat)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

## [PROPERTIES]

Residues: Met1~Pro147 (Accession # P55009),

with N-terminal His-Tag.

Host: E. coli

**Subcellular Location:** Cytoplasm, cytoskeleton.

Cell projection, ruffle membrane; Peripheral


membrane protein; Cytoplasmic side.

**Purity: >95%** 

**Endotoxin Level:** <1.0EU per 1μg (determined by the LAL method).

**Formulation:** Supplied as lyophilized form in 20mM Tris, 500mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% sarcosyl, 5% trehalose, and preservative.



15% SDS-PAGE

Predicted isoelectric point: 7.1

Predicted Molecular Mass: 18.3kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

# [ <u>USAGE</u> ]

Reconstitute in ddH<sub>2</sub>O.



### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCES]

The target protein is fused with N-terminal His-Tag, its sequence is listed below. MGHHHHHHSGSEF- MSQSKDLQGG KAFGLLKAQQ EERLDGINKH FLDDPKYSSD EDLQSKLEAF KTKYMEFDLN GNGDIDIMSL KRMLEKLGVP KTHLELKKLI REVSSGSEET FSYSDFLRMM LGKRSAILRM ILMYEEKNKE HQKPTGPPAK KAISELP

### [REFERENCES]

- 1. Utans U., et al. (1995) J. Clin. Invest. 95:2954-2962.
- 2. Imai Y., et al. (1996) Biochem. Biophys. Res. Commun. 224:855-862.
- 3. Tanaka S., et al. (1998) J. Neurosci. 18:6358-6369.
- 4. Hurt P., et al. (2004) Genome Res. 14:631-639.