

RPF959Hu01 100µg
Recombinant Utrophin (UTRN)
Organism Species: Homo sapiens (Human)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli

Residues: Met1~Glu252
Tags: N-terminal His-Tag
Tissue Specificity: Muscle.

Subcellular Location: Cell junction; Peripheral membrane protein; Cytoplasmic

side. Cytoplasm.

Purity: >98%

Traits: Freeze-dried powder

Buffer formulation: 100mM NaHCO₃, 500mM NaCl, pH8.3, containing 1mM

EDTA, 1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive

Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.8

Predicted Molecular Mass: 32.5kDa

Accurate Molecular Mass: 33kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 100mM NaHCO₃, 500mM NaCl (pH8.3) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

MAKYGEHEAS PDNGQNEFSD IIKSRSDEHN DVQKKTFTKW INARFSKSGK
PPINDMFTDL KDGRKLLDLL EGLTGTSLPK ERGSTRVHAL NNVNRVLQVL
HQNNVELVNI GGTDIVDGNH KLTLGLLWSI ILHWQVKDVM KDVMSDLQQT
NSEKILLSWV RQTTRPYSQV NVLNFTTSWT DGLAFNAVLH RHKPDLFSWD
KVVKMSPIER LEHAFSKAQT YLGIEKLLDP EDVAVQLPDK KSIIMYLTSL
FE

[IDENTIFICATION]




Figure 1. SDS-PAGE