

**RPK504Mu01 50µg**  
**Recombinant Calprotectin (CALPRO)**  
**Organism Species: Mus musculus (Mouse)**  
***Instruction manual***

FOR IN VITRO USE AND RESEARCH USE ONLY  
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

---

12th Edition (Revised in Aug, 2016)

## [ **PROPERTIES** ]

**Source:** Prokaryotic expression.

**Host:** *E. coli*

**Residues:** Met1~Glu89 and Met1~Lys113

**Tags:** N-terminal His-Tag

**Purity:** >95%

**Traits:** Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

**Original Concentration:** 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Accurate Molecular Mass:** 11&15kDa as determined by SDS-PAGE reducing conditions.

### **Phenomenon explanation:**

Calprotectin is a complex of two S100 calcium-binding proteins that are found primarily in granulocytes, some subsets of macrophages, and squamous epithelium; these proteins are also called the migration inhibitory-related proteins (MRP)-8 and MRP14, S100A8 and S100A9. Calprotectin is a 24kDa dimer of calcium binding proteins S100A8 and S100A9. After co-expression of S100A8 and S100A9, two bands of proteins can be observed, which means S100A8 and S100A9, respectively.

## [ **USAGE** ]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## [ **STORAGE AND STABILITY** ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCE ]

```
MPSELEKALS NLIDVYHNYS NIQGNHHALY KNDFKKMVTT ECPQFVQNIN
IENLFRELDI NSDNAINFEE FLAMVIKVG V ASHKDSHKE
MANKAPSQME RSITTIIDTF HQYSRKEGHP DTLSKKEFRQ MVEAQLATFM
KKEKRNEALI NDIMEDLDTN QDNQLSFEEC MMLMAKLIFA CHEKLHENNP
RGHGSHGKG CGK
```

## [ IDENTIFICATION ]




Figure 1. SDS-PAGE