

## Phospho-GRB10 (Ser476) Ab

Cat.#: AF2347 Concn.: 1mg/ml Mol.Wt.: 80kDa Size: 100ul,200ul Source: Rabbit Clonality: Polyclonal

Application: WB 1:500-1:2000, IHC 1:50-1:200

Reactivity: Human, Mouse, Rat

Purification: The Ab is from purified rabbit serum by affinity purification

via sequential chromatography on phospho- and non-

phospho-peptide affinity columns.

Specificity: Phospho-GRB10 (Ser476) Ab detects endogenous levels of

GRB10.

Immunogen: A synthesized peptide derived from human GRB10 around

the phosphorylation site of Ser476.

Uniprot: Q13322

Subcellular Location: Cytoplasm. When complexed with NEDD4 and IGF1R, follows

IGF1R internalization, remaining associated with early endosomes. Uncouples from IGF1R-containing endosomes before the sorting of the receptor to the lysosomal

compartment.

Tissue Specificity: Widely expressed in fetal and adult tissues, including fetal

and postnatal liver, lung, kidney, skeletal muscle, heart,

spleen, skin and brain.

Similarity: The PH domain binds relatively non-specifically to several

phosphoinositides, including PI5P, PI(4,5)P2, PI(3,4)P2 and

PI(3,4,5)P3, with modest affinities. Belongs to the

GRB7/10/14 family.

Storage Condition and

Buffer:

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20

°C.Stable for 12 months from date of receipt



Western blot analysis of extracts of serum starved NIH/3T3 cells, using Phospho-GRB10 (Ser476) Ab .



## **Affinity Biosciences** website:www.affbiotech.com



AF2347 at 1/100 staining Human thyroid cancer tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the Ab for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit Ab was used as the secondary.

IMPORTANT: For western blot, incubate membrane with diluted Ab in 5% w/v milk , 1X TBS, 0.1% Tween®20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.