

## FSBP Antibody

Cat.#: DF8766  
Size: 100ul,200ul

Concn.: 1mg/ml  
Source: Rabbit

Mol.Wt.: 19 kDa  
Clonality: Polyclonal

**Application:** WB 1:1000-3000, IHC 1:200, ELISA(peptide)  
1:20000-1:40000  
\*The optimal dilutions should be determined by the end user.

**Reactivity:** Human,Mouse


**Purification:** The antiserum was purified by peptide affinity chromatography using SulfoLink™ Coupling Resin (Thermo Fisher Scientific).

**Specificity:** FSBP Antibody detects endogenous levels of total FSBP.


**Immunogen:** A synthesized peptide derived from human FSBP, corresponding to a region within the internal amino acids.

**Uniprot:** O95073


**Storage Condition and Buffer:** Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt.



Western blot analysis of extracts from HepG2 cells(serum starvation treatment), using FSBP Antibody. The lane on the left was treated with blocking peptide.



Western blot analysis FSBP using K562 whole cell lysates



DF8766 at 1/100 staining Human spleen tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary antibody.

**IMPORTANT:** For western blot, incubate membrane with diluted primary Ab in 5% w/v milk , 1X TBS, 0.1% Tween@20 at 4°C with gentle shaking, overnight.

For Research Use Only. Not for use in diagnostic and therapeutic procedures. Not for resale without express authorization.