



FAA788Hu82

**FITC-Linked Anti-Programmed Cell Death Protein 1 Ligand 1 (PDL1) Monoclonal
Antibody**

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Recombinant monoclonal antibody preparation

Host: Mouse

Purification: Protein A affinity chromatography

Clone number: E286-C2

Antibody isotype: IgG2b Kappa

Label: FITC

Original Antibody: RAA788Hu22

Traits: Liquid

Concentration: 0.2mg/ml

UOM: 200Test(1ml)

Applications: FCM

[IMMUNOGEN]

Immunogen: Eukaryotic (PDL1) (Phe19~Arg238) expressed in 293F cell

Accession No.: EPA788Hu61

[APPLICATIONS]

For flow cytometry, the suggested use of this reagent is 5 μ l per 10^6 cells in 100 μ l volume.

Optimal working dilutions could be determined by end user.

[FORMULATION]

Form&Buffer: Supplied as solution form in PBS, pH7.4 ,containing 0.2%BSA,0.05% Proclin300 and 50%Glycerine.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Keep in dark place

Store at 4°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Note: As fluorescence can photobleach when exposed to light, so the antibody must be protected from light.

[Important Note]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.