

PAA197Ra01 Polyclonal Antibody to Glycoprotein IX, Platelet (GP9) Organism Species: Rattus norvegicus (Rat) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES.

[PRODUCT INFORMATION]

Immunogen: GP9, Rat Clonality: Polyclonal

Host: Rabbit


Immunoglobulin Type: IgG

Purification: Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F, ELISA

Concentration: 200µg/mL

UOM: 100µg



Sample: Recombinant GP9, Rat

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant GP9 (Met1~Asn189) expressed in *E.coli*.

Accession No.: RPA197Ra01

Sequence: The target protein is fused with two N-terminal Tags, His-tag and

GST-tag and its sequence is listed below.

MSPILGYWKI KGI VOPTRI LI FYI FEKYFF HI YERDEGDK WRNKKFFI GI. FEPNI PYYID GDVKLTQSMA IIRYIADKHN MLGGCPKERA EISMLEGAVL DIRYGVSRIA YSKDFETLKV DFLSKLPEML KMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCFK KRIEAIPQID KYLKSSKYIA WPLQGWQATF GGGDHPPKSD GSTSGSGHHH HHHSAGLVPR GSTAIGMKET AAAKFERQHM DSPDLGTGGG SGIEGRGSMG YRGSEF-MAPAQASQPI CWIPTWGLLL LLWPVTTATQ DCPRPCTCQS LETMGLKVNC EGRGLTALPV LPANTRQLLL TNNSLRSVPP GAFDHMPQLW ELKVAHNPWH CDCSLTYLRL WLEDHMPEAL



SHVYCASPDL ATQRPLGQLT GYELGNCGWK LPPSWAYSGI WWDVSLVAVA VLGLILLAGL LNTFTESRN

[ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against GP9. It has been selected for its ability to recognize GP9 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant GP9 (Met1~Asn189) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN₃ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.