## <u> Cloud-Clone Corp</u>.

PAB697Mu01 Polyclonal Antibody to Alpha-1-Antitrypsin (a1AT) Organism Species: Mus musculus (Mouse) *Instruction manual* 

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

### [PRODUCT INFORMATION]

Immunogen: a1AT, Mouse Clonality: Polyclonal Host: Rabbit Immunoglobulin Type: IgG Purification: Affinity Chromatography. Applications: WB, ICC, IHC-P, IHC-F, ELISA Concentration: 200µg/mL UOM: 100µg

#### [ IMMUNOGEN INFORMATION ]

Immunogen: Recombinant a1AT (Glu25~Lys413) expressed in E.coli.

Accession No.: RPB697Mu01

**Sequence:** The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHHSGSEF-EDVQET DTSQKDQSPA SHEIATNLGD FAISLYRELV HQSNTSNIFF SPVSIATAFA MLSLGSKGDT HTQILEGLQF NLTQTSEADI HKSFQHLLQT LNRPDSELQL STGNGLFVNN DLKLVEKFLE EAKNHYQAEV FSVNFAESEE AKKVINDFVE KGTQGKIAEA VKKLDQDTVF ALANYILFKG KWKKPFDPEN TEEAEFHVDE STTVKVPMMT LSGMLHVHHC STLSSWVLLM DYAGNATAVF LLPDDGKMQH LEQTLSKELI SKFLLNRRRR LAQIHFPRLS ISGEYNLKTL MSPLGITRIF NNGADLSGIT EENAPLKLSQ AVHKAVLTID ETGTEAAAVT VLQMVPMSMP PILRFDHPFL FIIFEEHTQS PIFLGKVVDP THK

### [ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against a1AT. It has been selected for its ability to recognize a1AT in immunohistochemical staining and western blotting.

### [APPLICATIONS]


Western blotting: 1:100-400


Designed by Cloud-Clone Corp., Assembled by Uscn Life Science Inc. ISO9001:2008; ISO13485:2003; C € 11271 Richmond Avenue Suite H104, Houston, TX 77082, USA| Toil free. 001-888-960-7402 | Fax. 001-832-538-0088 | Http://www.cloud-clone.us | E-mail: mail@cloud-clone.us Export Processing Zone Building F, Wuhan, Hubel 430056, PRC | Toil free. 0086-800-880-0687 | Fax. 0086-27-8425-8551 | Http://www.uscnk.com | E-mail: mail@uscnk.com

# Coud-Clone Corp.

Immunocytochemistry in formalin fixed cells: 1:100-500 Immunohistochemistry in formalin fixed frozen section: 1:100-500 Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.

### [ <u>IMAGES</u> ]





Recombinant a1AT.Mouse

Used in DAB staining on fromalin fixed

paraffin- embedded Liver tissue

### [CONTENTS]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

## [ QUALITY CONTROL ]

**Content:** The quality control contains recombinant a1AT (Glu25~Lys413) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.5uL per well when used in enhanced chemilumescent (ECL).Note: The quality control is specifically manufactured as the positive control.

Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN $_3$  0.02%.

## [<u>STORAGE</u>]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.