RPA049Hu01 10µg Recombinant Interferon Gamma (IFNg) Organism Species: Homo sapiens (Human) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli Residues: Gln24~Gln166 **Tags:** N-terminal His-Tag Tissue Specificity: Blood. Subcellular Location: Secreted. **Purity: >95%** Traits: Freeze-dried powder Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% Trehalose and Proclin300. Original Concentration: 200ug/mL Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 9.6 Predicted Molecular Mass: 18.0kDa Accurate Molecular Mass: 16kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Coud-Clone Corp.

[SEQUENCE]

QDPYVKE AENLKKYFNA GHSDVADNGT LFLGILKNWK EESDRKIMQS QIVSFYFKLF KNFKDDQSIQ KSVETIKEDM NVKFFNSNKK KRDDFEKLTN YSVTDLNVQR KAIHELIQVM AELSPAAKTG KRKRSQMLFR GRRASQ

[IDENTIFICATION]




Figure 2. SDS-PAGE