Coud-Clone Corp.

RPA049Po01 50µg Recombinant Interferon Gamma (IFNg) Organism Species: Sus scrofa; Porcine (Pig) *Instruction manual*

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

[PROPERTIES]

Source: Prokaryotic expression. Host: E. coli Residues: Ser21~Lys166 Tags: N-terminal His-Tag Tissue Specificity: Blood. Subcellular Location: Secreted. **Purity:** >92% Traits: Freeze-dried powder Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% Trehalose and Proclin300. Original Concentration: 200ug/mL Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 9.7 Predicted Molecular Mass: 18.7kDa Accurate Molecular Mass: 17kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE]</u>

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

SYCQAPFFKE ITILKDYFNA STSDVPNGGP LFLEILKNWK EESDKKIIQS QIVSFYFKFF EIFKDNQAIQ RSMDVIKQDM FQRFLNGSSG KLNDFEKLIK IPVDNLQIQR KAISELIKVM NDLSPRSNLR KRKRSQTMFQ GQRASK

[IDENTIFICATION]




Figure 1. Gene Sequencing (Extract)

Coud-Clone Corp.




Figure 2. SDS-PAGE