

RPA128Mu01 10µg

#### Recombinant Tissue Inhibitors Of Metalloproteinase 2 (TIMP2)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

### [PROPERTIES]

Source: Prokaryotic expression. Host: E. coli Residues: Cys27~Pro220 Tags: N-terminal His-Tag Tissue Specificity: Testis, Breast, Heart. Subcellular Location: Secreted. **Purity:** >92% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and Proclin300. Original Concentration: 200ug/mL Applications: SDS-PAGE; WB; ELISA; IP; CoIP; ReporterAssays; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 7.0 Predicted Molecular Mass: 23.0kDa Accurate Molecular Mass: 22kDa as determined by SDS-PAGE reducing conditions.

#### [ <u>USAGE ]</u>

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.



### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# [SEQUENCE]

CSCS PVHPQQAFCN ADVVIRAKAV SEKEVDSGND IYGNPIKRIQ YEIKQIKMFK GPDKDIEFIY TAPSSAVCGV SLDVGGKKEY LIAGKAEGDG KMHITLCDFI VPWDTLSITQ KKSLNHRYQM GCECKITRCP MIPCYISSPD ECLWMDWVTE KSINGHQAKF FACIKRSDGS CAWYRGAAPP KQEFLDIEDP

## [IDENTIFICATION]




Figure 1. SDS-PAGE