

RPL329Hu01 10 μ g
Recombinant Complement Factor H Related Protein 3 (CFHR3)
Organism Species: Homo sapiens (Human)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[**PROPERTIES**]

Source: Prokaryotic expression.

Host: *E. coli*

Residues: Gln19~Glu330

Tags: Two N-terminal Tags, His-tag and GST-tag

Tissue Specificity: Liver, Plasma.

Subcellular Location: Secreted.

Purity: >95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.8

Predicted Molecular Mass: 65.4kDa

Accurate Molecular Mass: 65kDa as determined by SDS-PAGE reducing conditions.

[**USAGE**]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[**STORAGE AND STABILITY**]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```
                QV KPCDFPDIKH GGLFHENMRR PYFPVAVGKY
YSYYCDEHFE  TPSGSYWDYI HCTQNGWSPA VPCLRKCYFP YLENGYNQNY
GRKFVQGNST  EVACHPGYGL  PKAQTTVTCT EKGWSPTPRC IRVRTCSKSD
IEIENGFISE  SSSIYILNKE  IQYKCKPGYA TADGNSSGSI TCLQNGWSAQ
PICINSSEKC  GPPPPISNGD TTSFLLKVYV PQSRVEYQCQ PYYELQGSNY
VTCNGEWSE  PPRCIHPCII TEENMNKNNI KLKGRSDRKY YAKTGDTIEF
MCKLGYNANT  SILSFQAVCR  EGIVEYPRCE
```

[IDENTIFICATION]




Figure 1. SDS-PAGE